

Computer Vision – TP13

Statistical Classifiers

Miguel Tavares Coimbra

Outline

- Statistical Classifiers
- Neural Networks
- Support Vector Machines

Topic: Statistical Classifiers

- **Statistical Classifiers**
- Neural Networks
- Support Vector Machines

Statistical PR

- I use **statistics** to make a decision
 - I can make **decisions** even when I don't have full a priori knowledge of the whole process
 - I can make **mistakes**
- How did I **recognize** this pattern?
 - I **learn** from previous observations where I know the classification result
 - I **classify** a new observation

Features

- Feature F_i $F_i = [f_i]$

- Feature F_i with N values.

$$F_i = [f_{i1}, f_{i2}, \dots, f_{iN}]$$

- Feature vector F with M features.

$$F = [F_1 | F_2 | \dots | F_M]$$

- Naming conventions:
 - Elements of a **feature vector** are called **coefficients**
 - **Features** may have one or more **coefficients**
 - **Feature vectors** may have one or more **features**

Classifiers


- A **Classifier C** maps a class into the feature space

$$C_{\text{Spain}}(x, y) = \begin{cases} \text{true} & , y > K \\ \text{false} & , \text{otherwise} \end{cases}$$

- Various types of classifiers
 - Nearest-Neighbours
 - Neural Networks
 - Support Vector Machines
 - Etc...

Distance to Mean

- I can represent a class by its mean feature vector
$$C = \bar{F}$$
- To classify a new object, I choose the class with the closest mean feature vector
- Different distance measures!






Possible Distance Measures

- L1 Distance

$$L1 = \frac{1}{N} \sum_{x=1}^N |S(x) - v(x)|$$

- Euclidean Distance
(L2 Distance)

$$L2 = \frac{1}{N} \sum_{x=1}^N (S(x) - v(x))^2$$




L1 or
Taxicab
Distance

Gaussian Distribution

- Defined by two parameters:
 - Mean: μ
 - Variance: σ^2
- Great approximation to the distribution of many phenomena.
 - *Central Limit Theorem*

$$f(x) = \frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{(x-\mu)^2}{2\sigma^2}\right)$$



Multivariate Distribution

- For N dimensions:

$$f_X(x_1, \dots, x_N) = \frac{1}{(2\pi)^{N/2} |\Sigma|^{1/2}} \exp\left(-\frac{1}{2}(x - \mu)^\top \Sigma^{-1}(x - \mu)\right)$$


- Mean feature vector:
- Covariance Matrix:

$$\mu = \bar{F}$$

$$X = \begin{bmatrix} X_1 \\ \vdots \\ X_n \end{bmatrix} \quad \mu_i = \mathbb{E}(X_i) \quad \Sigma_{ij} = \mathbb{E}[(X_i - \mu_i)(X_j - \mu_j)]$$

Mahalanobis Distance

- Based on the covariance of coefficients
- Superior to the Euclidean distance



$$D_M(x) = \sqrt{(x - \mu)^T P^{-1} (x - \mu)}.$$


K-Nearest Neighbours

- **Algorithm**

- Choose the closest K neighbours to a new observation
- Classify the new object based on the **class** of these K objects

- **Characteristics**

- Assumes no model
- Does not scale very well...



Topic: Neural Networks


- Statistical Classifiers
- **Neural Networks**
- Support Vector Machines

If you can't beat it.... Copy it!




Biological Neural Networks

- **Neuroscience:**
 - Population of physically inter-connected neurons
- **Includes:**
 - Biological **Neurons**
 - Connecting **Synapses**
- **The human brain:**
 - 100 billion neurons
 - 100 trillion synapses




Biological Neuron

- **Neurons:**
 - Have K inputs (*dendrites*)
 - Have 1 output (*axon*)
 - If the sum of the input signals surpasses a *threshold*, sends an *action potential* to the axon
- **Synapses**
 - Transmit electrical signals between neurons



Artificial Neuron

- Also called the **McCulloch-Pitts neuron**
- Passes a **weighted sum of inputs**, to an **activation function**, which produces an **output value**



$$y_k = \varphi \left(\sum_{j=0}^m w_{kj} x_j \right)$$

McCulloch, W. and Pitts, W. (1943). A logical calculus of the ideas immanent in nervous activity. Bulletin of Mathematical Biophysics, 7:115 - 133.


Sample activation functions

- Rectified Linear Unit (ReLU)

$$y = \begin{cases} u, & \text{if } u \geq 0 \\ 0, & \text{if } u < 0 \end{cases}, \quad u = \sum_{i=1}^n w_i x_i$$


- Sigmoid function

$$y = \frac{1}{1 + e^{-u}}$$




Artificial Neural Network

- Commonly referred as **Neural Network**
- Basic principles:
 - One neuron can perform a simple decision
 - Many **connected** neurons can make more **complex decisions**



Characteristics of a NN

- **Network configuration**
 - How are the neurons inter-connected?
 - We typically use *layers* of neurons (input, output, hidden)
- **Individual Neuron parameters**
 - Weights associated with inputs
 - Activation function
 - Decision *thresholds*



How do we find these values?

Learning paradigms

- We can define the network configuration
- How do we define neuron ***weights*** and ***decision thresholds***?
 - **Learning** step
 - We **train** the NN to classify what we want
- **Different learning paradigms**
 - Supervised learning
 - Unsupervised learning
 - Reinforcement learning

Appropriate for
**Pattern
Recognition.**

Learning

- We want to obtain an **optimal solution** given a set of **observations**
- A **cost function** measures how close our solution is to the **optimal solution**
- Objective of our learning step:
 - Minimize the **cost function**



Backpropagation
Algorithm

Backpropagation

Backpropagation

$$\text{Out}(x) = g\left(\sum_j W_j g\left(\sum_k w_{jk} x_k\right)\right)$$

Find a set of weights $\{W_j\}, \{w_{jk}\}$

to minimize

$$\sum_i (y_i - \text{Out}(x_i))^2$$


by gradient descent.

That's it!
That's the backpropagation
algorithm.

For more details
please study Dr.
Andrew Moore's
excellent tutorials

Feedforward neural network

- Simplest type of NN
- Has no *cycles*
- Input layer
 - Need as many neurons as coefficients of my *feature vector*
- Hidden layers
- Output layer
 - Classification results




Topic: Support Vector Machines

- Statistical Classifiers
- Neural Networks
- **Support Vector Machines**

Maximum-margin hyperplane


- There are many planes that can separate our **classes** in **feature space**
- Only one **maximizes the separation margin**
- Of course that classes need to be separable in the first place...



$$V = \{v_1, v_2, \dots, v_M\}, v_i \in \mathbb{R}^M$$

Support vectors

- The **maximum-margin hyperplane** is limited by some vectors
- These are called **support vectors**
- Other vectors are irrelevant for my decision



Decision

- I map a new **observation** into my **feature space**
- Decision hyperplane:

$$(w \cdot x) + b = 0, w \in \mathbb{R}^N, b \in \mathbb{R}$$


- Decision function:

$$f(x) = \text{sign}((w \cdot x) + b)$$

A vector is either **above** or **below** the hyperplane


Slack variables

- Most **feature spaces** cannot be segmented so easily by a hyperplane
- Solution:
 - Use slack variables
 - ‘Wrong’ points ‘pull’ the margin in their direction
 - Classification errors!



But this doesn't work in most situations...


- Still, how do I find a **Maximum-margin hyperplane** for some situations?



- Most real situations face this problem...

Solution: Send it to hyperspace!

- Take the previous case: $f(\mathbf{x}) = \mathbf{x}$
- Create a new higher-dimensional function: $g(\mathbf{x}^2) = (\mathbf{x}, \mathbf{x}^2)$
- A **kernel function** is responsible for this transformation



<https://www.youtube.com/watch?v=3liCbRZPrZA>

Typical kernel functions

Linear	$K(x, y) = x \cdot y + 1$
Polynomial	$K(x, y) = (x \cdot y + 1)^p$
Radial-Base Functions	$K(x, y) = e^{-\ x-y\ ^2 / 2\sigma^2}$
Sigmoid	$K(x, y) = \tanh(kx \cdot y - \delta)$

Classification

- **Training stage:**
 - Obtain kernel parameters
 - Obtain maximum-margin hyperplane
- **Given a new **observation**:**
 - Transform it using the kernel
 - Compare it to the hyperspace

Resources

- Andrew Moore, “Statistical Data Mining Tutorials”,
<http://www.cs.cmu.edu/~awm/tutorials.htm>
!
- C.J. Burges, “A tutorial on support vector machines for pattern recognition”, in Knowledge Discovery Data Mining, vol.2, no.2, 1998, pp.1-43.