

VC 17/18 – TP3

Digital Images

Mestrado em Ciência de Computadores
Mestrado Integrado em Engenharia de Redes e
Sistemas Informáticos

Miguel Tavares Coimbra


Outline

- Sampling and quantization
- Data structures for digital images
- Histograms


Topic: Sampling and quantization

- Sampling and quantization
- Data structures for digital images
- Histograms

Components of a Computer Vision System



Digital Images




What we see

0	3	2	5	4	7	6	9	8
3	0	1	2	3	4	5	6	7
2	1	0	3	2	5	4	7	6
5	2	3	0	1	2	3	4	5
4	3	2	1	0	3	2	5	4
7	4	5	2	3	0	1	2	3
6	5	4	3	2	1	0	3	2
9	6	7	4	5	2	3	0	1
8	7	6	5	4	3	2	1	0

What a computer sees

Pinhole and the Perspective Projection





Simple Image Model

- Image as a 2D light-intensity function

$$f(x, y)$$

- Continuous
- Non-zero, finite value

$$0 < f(x, y) < \infty$$




[Gonzalez & Woods]

Analog to Digital

The scene is:

- **projected** on a 2D plane,
- **sampled** on a regular grid, and each sample is
- **quantized** (rounded to the nearest integer)




$$f(i, j) = \text{Quantize}\{f(i\Delta, j\Delta)\}$$

Images as Matrices


- Each point is a **pixel** with amplitude:
 - $f(x,y)$
- An image is a matrix with size $N \times M$

$$M = \begin{bmatrix} (0,0) & (0,1) & \dots \\ (1,0) & (1,1) & \dots \\ \dots & & \end{bmatrix}$$




Sampling Theorem

Continuous signal:



Shah function (Impulse train):



Sampled function:

$$f_s(x) = f(x)s(x) = f(x) \sum_{n=-\infty}^{\infty} \delta(x - nx_0)$$


Sampling Theorem

Sampled function:

$$f_s(x) = f(x)s(x) = f(x) \sum_{n=-\infty}^{\infty} \delta(x - nx_0)$$


Sampling frequency $\frac{1}{x_0}$

$$F_S(u) = F(u) * S(u) = F(u) * \frac{1}{x_0} \sum_{n=-\infty}^{\infty} \delta\left(u - \frac{n}{x_0}\right)$$




Nyquist Theorem

If $u_{\max} > \frac{1}{2x_0}$




Sampling frequency must be greater than $2u_{\max}$

Aliasing




Picket fence receding into the distance will produce aliasing...

WHY?




Matlab output:



```
x = 0:.05:5; imagesc(sin((2.^x).*x))
```

Quantization


- Analog: $0 < f(x, y) < \infty$
- Digital: Infinite storage space per pixel!
- Quantization



Quantization Levels

- G - number of levels
- m – storage bits
- Round each value to its nearest level

$$G = 2^m$$



Effect of quantization



Effect of quantization



Image Size

- Storage space

- Spatial resolution: $N \times M$
- Quantization: m bits per pixel
- Required bits b :

$$b = N \times M \times m$$


- Rule of thumb:

- More storage space means more image quality


Image Scaling

This image is too big to fit on the screen. How can we reduce it?

How to generate a half-sized version?



Sub-sampling




1/4



1/8

Throw away every other row and column to create a 1/2 size image
- called *image sub-sampling*

Sub-sampling



1/2



1/4 (2x zoom)




1/8 (4x zoom)

Topic: Data structures for digital images

- Sampling and quantization
- **Data structures for digital images**
- Histograms

Data Structures for Digital Images

- Are there other ways to represent digital images?





What we see

0	3	2	5	4	7	6	9	8
3	0	1	2	3	4	5	6	7
2	1	0	3	2	5	4	7	6
5	2	3	0	1	2	3	4	5
4	3	2	1	0	3	2	5	4
7	4	5	2	3	0	1	2	3
6	5	4	3	2	1	0	3	2
9	6	7	4	5	2	3	0	1
8	7	6	5	4	3	2	1	0

What a computer sees

Chain codes

- Chains represent the borders of objects.
- Coding with *chain codes*.
 - Relative.
 - Assume an initial starting point for each object.
- Needs segmentation!




Freeman Chain Code

Using a Freeman Chain Code and considering the top-left pixel as the starting point:
70663422

Topological Data Structures


- *Region Adjacency Graph*
 - **Nodes** - Regions
 - **Arcs** – Relationships
- Describes the elements of an image and their spatial relationships.
- Needs segmentation!



Region Adjacency Graph

Relational Structures

- Stores **relations** between **objects**.
- Important **semantic information** of an image.
- Needs **segmentation** and an image description (**features**)!



No.	Object name	Colour	Min. row	Min. col.	Inside
1	sun	white	5	40	2
2	sky	blue	0	0	-
3	cloud	grey	20	180	2
4	tree trunk	brown	95	75	6
5	tree crown	green	53	63	-
6	hill	light green	97	0	-
7	pond	blue	100	160	6

Relational Table

Topic: Histograms

- Sampling and quantization
- Data structures for digital images
- **Histograms**

Histograms

- “In statistics, a histogram is a graphical display of tabulated frequencies.”

[Wikipedia]

- Typically represented as a bar chart:






Image Histograms

- Colour or Intensity distribution.
- Typically:
 - Reduced number of *bins*.
 - Normalization.
- Compressed representation of an image
 - No spatial information whatsoever!



Colour Histogram

- As many histograms as axis of the colour space.
Ex: RGB Colour space
 - Red Histogram
 - Green Histogram
 - Blue Histogram
- Combined histogram.



Resources

- R. Gonzalez, and R. Woods – Chapter 2