

Portability of Prolog programs: theory and case-studies

Jan Wielemaker¹ and Vítor Santos Costa²

¹ VU University Amsterdam, The Netherlands,
J.Wielemaker@cs.vu.nl

² DCC-FCUP & CRACS-INESC Porto LA
Universidade do Porto, Portugal
vsc@dcc.fc.up.pt

Abstract. (Non-)portability of Prolog programs is widely considered as an important factor in the lack of acceptance of the language. Since 1995, the core of the language is covered by the ISO standard 13211-1. Since 2007, YAP and SWI-Prolog have established a basic compatibility framework. This article describes and evaluates this framework. The aim of the framework is running the same code on both systems rather than migrating an application. We show that today, the portability within the family of Edinburgh/Quintus derived Prolog implementations is good enough to allow for maintaining portable real-world applications.

1 Introduction

Prolog is an old language with a long history, and its user community has seen a large number of implementations that evolved largely independently. This situation is totally different from more recent languages, e.g. Java, Python or Perl. These language either have a single implementation (Python, Perl) or are controlled centrally (a language can only be called Java if it satisfies certain standards [9]). The Prolog world knows dialects that are radically different, even with different syntax and different semantics (e.g., Visual Prolog [11]). Arguably, this is a handicap for the language because every publically available significant piece of code must be carefully examined for portability issues before it can be applied. As an anecdotal example, answers to questions on *comp.lang.prolog* typically include “on Prolog XYZ, this can be done using ...” or “which Prolog implementation are you using?”.

In this work we will investigate portability issues in a number of modern Prolog implementations. We shall use systems that implement the ISO standard to a large extend [2,14]. We remark that, although any program larger than a few pages requires modularity, the ISO standard for modules was never accepted by most Prolog developers. To address this problem, we restrict ourselves to Prolog systems that implement a module system descending from the Quintus module system. This includes Quintus Prolog itself [1], SICStus Prolog [4], Ciao [6], SWI-Prolog [18], and YAP [13]. We further assume that all target systems provide a term-expansion facility (a macro-facility inherited from the Edinburgh tradition), a second requirement for our approach.

2 Portability approaches and related work

Software portability is a problem since the day the second computer was built. In the case of Prolog, we expect that at least basic portability requirements are fulfilled: there are few syntactic incompatibilities, and the core language primitives have to a large extent the same semantics. This is the case for the family of implementation that is subject in this study. Beyond that, the implementations vary widely; notably in **(i)** the organisation of the libraries; **(ii)** available library primitives; and **(iii)** access to external resources such as C-code, processes, etc. Our problem is to some extent similar to porting C-programs between different compilers and operating systems. Although today's C-environments have made significant progress in standardising the structure of the library (e.g., C99 internationalisation support) and POSIX has greatly simplified operating system portability, writing portable C-code still relies on judicious use of the C-preprocessor and a principled approach to portability. We will take advantage of the underlying principles and choices that affect portability in the C-world, both because we believe the examples are widely known and because the C-community has a long-standing experience with portability issues. Note that the described approaches are not mutually exclusive.

The abstraction approach A popular approach to make an application portable is to define an *interface* for facilities that are needed by the application and that are typically not portable. Next, the interface is implemented for the various target platforms. Targets that are completely different (e.g. Windows vs. X11 graphics) use completely distinct implementations, while small differences are handled using compile-time or run-time conditions. Typically, the “portable” part of the application still needs some conditional statements, for example if vital features are simply not available on one of the target platforms.

Abstractions come in two flavours: specifically designed and implemented in the context of an application; and designed as high-level general-purpose abstractions. We find instances of the latter class notably in areas where portability is hard, such as user-interface components (e.g., WxWindows, Qt, various libraries for threading).

Logtalk [10] is an example from the Prolog world: it provides a portable program-structuring framework (objects) and extensive libraries that are portable over a wide range of Prolog implementation. On the other hand, we could claim that Logtalk is a *language* developed by a community that just happens to be using a variety of Prolog implementations as backend. The portability of Logtalk itself is based on application-specific abstraction.

The emulation approach Another popular approach is to write applications for environment X and completely *emulate* environment X on top of the target environment Y . One of the most extreme examples here is *Wine*³, that completely emulates the Windows-API on top of POSIX systems. The opposite is Cygwin [12], that emulates the POSIX API on Windows platforms.

³ <http://www.winehq.org>

This approach has large advantages in reducing the porting effort. However, it comes at a price. Cygwin and Wine are very large projects because emulating one OS API is approaching the complexity of an OS itself. This means that applications ported using this approach become heavyweight. Moreover, they tend to become slow due to small mismatches. For example, both Windows and POSIX provide a function to enumerate members of a directory and a function to get details on each member. The initial enumeration already provides more than just the name, but the set of attributes provided differs. This implies that a full emulation of the directory-scanning function also needs to call the ‘get-details’ function to fill the missing attributes, causing a huge slow-down. The real pain is that often, the application is not interested in these painfully extracted attributes. Similar arguments hold for the differences between the thread-synchronisation primitives. For example, the initial implementation of SWI-Prolog message-queues that establish a FIFO queue between threads was based on POSIX thread ‘condition variables’ and ported using the pthread-win32⁴ library. The Windows version was over 100 times slower than the POSIX version. Rewriting the queue logic using Windows ‘Event’ object duplicates a large part of the queue-handling code, but provides comparable performance.

The conditional approach Traditionally, (small) compatibility problems are ‘fixed’ using conditional code. There are two approaches: compile-time and run-time. In the Prolog-world, we’ve seen mostly run-time solution with the promise that partial evaluation can turn this into the equivalent of the compile-time approach.

Conditions themselves often come from version information (e.g. if (current-Browser == IE && browserVersion == 6.0) ...). At some point in time, the variation in the Unix-world was so large that this was no longer feasible. Large packages came with a configuration file where the installer could indicate which features were supported by the target Unix version. Of course, most system managers had no clue. A major step forward was GNU `autoconf` [17], a package that provides clear guidelines for portability, plus a collectively maintained suite of tests that can automatically execute in the target environment (`configure`).

There is one important lesson to be learned from GNU `autoconf`: *do not test versions, but features*. E.g. if you want to know whether `member/2` is available without loading `library(lists)`, use a test like the one below rather than a test for a specific Prolog implementation and version. Feature-tests like this are the basis of `autoconf`. Where `autoconf` requires writing an m4 specification file that is translated into the well-known `configure` program and the test results must be queries using `#ifdef HAVE_(function)`, the reflexive capabilities of Prolog avoid the need for external toolchains.

Feature tests work regardless of your knowledge of the availability of a predicate in a specific Prolog implementation and they keep working if implementations change this aspect or new implementations arrive on the market.

```
catch(member(a, [a]), _, fail)
```

⁴ <http://sourceware.org/pthreads-win32/>

3 Prolog portability status

Before we can answer the question on the best approach for Prolog, we must investigate the situation. The relevant situation does not only include the target Prolog systems, but also the user and developer communities.

Our target Prolog systems have been influenced by the Edinburgh tradition, namely through Quintus Prolog, C-Prolog, DEC10-Prolog and its DEC10 Prolog library. They all support the ISO core standard. In addition, resources such as Logtalk, and the Leuven and Vienna constraint libraries have recently helped enhancing the compatibility of Prolog dialects due to a mutual interest of the resource developers (a wider audience) and Prolog implementors (valuable resources). Logtalk has pioneered this field, pointing Prolog implementors at non-compliance with the ISO standard and other incompatibilities. The constraint libraries have settled around the attributed variable and global variable API designed for hProlog ([5]). These APIs are either directly implemented or easily emulated.

The language All systems can run programs satisfying the ISO standard as long as they do not depend on corner cases. There are cases where ISO demands an exception and implementations take the liberty to provide meaningful semantics. E.g., SWI-Prolog supports the mode `arg(-, +, ?)`; many systems support ‘options’ to predicates such as `open/4` and `write_term/4` that are not described by the ISO standard (e.g. ‘encoding’ in `open/4` to indicate the character-set encoding of the file). Additional options are explicitly allowed by the standard, but there is no good mechanism to know which options are allowed by a specific implementation and it is not easy to find an elegant way to deal with different option-list requirements in different implementations. Similarly, most systems provide prolog-flags (`current_prolog_flag/2`) in addition to the standard flags. Finally, systems differ in the relation between operators and modules. Table 1 provides an overview of relevant features in the four Prolog dialects considered.⁵

The library The situation around the Prolog libraries is unfortunate. Although much of the code is derived from the public domain ‘DEC10’ library, a long period of independent development makes this barely recognisable. The aforementioned cooperation around Logtalk and the CLP libraries as well as discussions in Leuven⁶ have enhanced the situation somewhat. Reaching compatibility by re-mixing a new library from all available libraries involves reaching agreement on structure (e.g., files and modules), predicate names and semantics and resolving license issues.

Currently, the way predicates are spread over the libraries and system built-ins differs enormously. Also different is the status of built-in predicates (can you redefine them, can you export them from a library, etc.) differs. Fortunately, there

⁵ See also http://en.wikipedia.org/wiki/Comparison_of_Prolog_implementations

⁶ <http://www.cs.kuleuven.ac.be/~dtai/projects/ALP/newsletter/feb09/content/Articles/doc5/content.html>

are only few cases where we find predicates with the same name but different semantics (e.g. **delete/3**⁷)

Foreign code As Bagnara ([3]) points out, the design of the foreign language interface is largely settled. All target systems use ‘term-handles’; opaque handles to Prolog terms that must be allocated and thus ensure that the Prolog engine knows which terms are referenced by foreign code. Details, such as the naming, coverage of the API functions to interact with terms as well as the way foreign code is made visible as Prolog predicates vary. We identify two problem areas.

⁷ <http://www.cs.otago.ac.nz/staffpriv/ok/pllib.htm>

	Ciao	SICStus	SWI	YAP
ISO	yes	yes	yes	yes
module/2	yes	yes	yes ^a	yes ^a
module/3	yes	no	no	no
use_module/2	yes	yes	yes	yes
use_module/3	no	yes	no	no
operators and modules	local	global	both	both
export built-in	no	no	yes	yes
redefine built-in	yes	no	yes	yes
Term-expansion	yes	yes	yes	yes
Goal-expansion	yes	yes	yes	yes
Compilation-model ^b	file	direct	direct	direct
Directives	special	goal	goal	goal
Attributed variables	yes	yes	yes	yes
Coroutining (dif/2 , freeze/2)	yes	yes	yes	yes
Global variables	yes	yes	yes	yes
Tabling	yes	no	no	yes
Threads	yes	no	yes ^c	yes ^c
Unicode	no	yes	yes	yes ^h
Set unknown flag	fail	error	yes ^d	yes ^d
Get unknown flag ^e	fail	fail	fail	fail
Provide unknown option ^f	error	error	ignore	error
Library license	GPL	Proprietary	GPL ^g	Artistic & GPL

^a Allows exporting operators

^b File: compile .pl to object and load object code

^c Provides **create_prolog_flag/3**

^d Following ISO technical report

^e TBD: Doesn't ISO demand an error?

^f E.g. write_term(foobar, [hello(true)])

^g With an additional statement that allows for use in proprietary code, based on the GCC runtime library.

^h Only at the scanner level.

Table 1. Core features provided by the target Prolog environment

- All Prolog systems allow binding external I/O channels to Prolog streams. The design of these interfaces however differs so widely that emulation is non-trivial and likely to cause severe performance degradation. See Sect. 7.
- The SWI and YAP APIs allow for creating non-deterministic predicates in C. SICStus and Ciao require the non-determinism to be moved to Prolog. It is hard to make a SWI/YAP non-deterministic implementation run of SICStus/Ciao without significant rewriting.

Community issues Both the user and developer communities around Prolog are small and flexible units. This is important to note, because as we have seen in Sect. 2, full emulation often becomes hard due to small semantic differences. The Prolog community is sufficiently flexible to provide workarounds, as long as the impact on a system that needs changing is minimal.⁸

4 What approach should we use for Prolog?

The most desirable ultimate situation is of course a well standardised core with a comprehensive common library. However, getting agreement on such a library and proper implementations for all platforms is not trivial. Even if this library finally exists, it will surely attract developers but still there are a lot of legacy applications where a complete rewrite to the new common library is not going to happen soon. A common library will also be based on an intersection of the target system capabilities, leaving many legacy application partly unsupported. How do we support applications *now*?

As already pointed out in the abstract, our aim is to run the same code on multiple Prolog systems and not to *migrate* code. Provided that all required core features (see Tab. 1) are supported in the target system, migrating code is generally fairly easy.

As far as we are aware, there are none or very few cases where emulation leads to poor performance due to mismatches in the APIs as explained in Sect. 2. So, as a good shared abstraction is hard to achieve and application-abstractions are too limited in scope for our purposes, *emulation* is the most promising route to follow. Note that, given a good framework, an emulation layer can be established incrementally and on ‘as needed’ basis.

5 The need for macro-expansion.

Certainly, we need some form of macro-processing. Dealing with incompatibilities only using runtime tests and optionally partial evaluation is insufficient. First of all, runtime tests can only deal with predicates and not with declarations (directives). Second, portable and adequate partial evaluation is not provided. Without partial evaluation, runtime testing is not acceptable for time-critical code and static analysis tools will complain about the code intended for other

⁸ <http://groups.google.com/group/comp.lang.prolog/msg/25af4e01de8a363c>

dialects. Term- and goal-expansion are provided by all target systems, but the details vary, making it rather awkward to use in application code. For example, Ciao requires special attention to make the rules available to the compiler. SWI-Prolog expansion follows its module-inheritance rules, first expanding in the module, then in the `user` module and finally in the `system` module. SICStus provides additional arguments to deal with source-locations, etc.

Following the emulation-approach, compatibility libraries can use all machinery available to the hosting Prolog environment to emulate the target. What is still needed is something to achieve portable conditional compilation in the application. Portable conditional compilation remains necessary to provide a partial port if the target lacks certain features (e.g., if the target is lacking unicode support it might still be possible to achieve a useable application). Sometimes, features of one system allow for realising a better (e.g., faster, more compact) implementation for a certain subsystem. For example, SWI-Prolog's `nb_setarg/3` allows for a clean reentrant and thread-safe implementation of counting proofs that is faster and requires less space than portable solutions. We can code this as below.

```
:- meta_predicate proof_count(0, -).
:- if(current_predicate(nb_setarg/3)).
proof_count(Goal, Count) :-
    State = count(0),
    (   call(Goal),
        arg(1, State, C0),
        C1 is C0 + 1,
        nb_setarg(1, State, C1),
        fail
    ;   arg(1, State, Count)
    ).
:- else.
proof_count(Goal, Count) :-
    findall(x, Goal, Xs),
    length(Xs, Count).
:- endif.
```

6 The SWI/YAP portability framework

The SWI/YAP approach is based on emulation. Its key features are:

- Support `:- if(Goal). ...[:- else. ...] :- endif.` conditional compilation. This is now built-in SWI and YAP, but can easily be provided on top of term-expansion for other systems.
- Provide `:- expects_dialect(Dialect).` to state that a module is designed for the given dialect. The effect of this directive is threefold.
 1. Load and import `library(dialect/Dialect)`, which provides emulation for built-ins of the dialect and term/goal expansion rules to resolve compatibility issues.

2. Make the current dialect available through `prolog_load_context(dialect, Dialect)` for term and goal-expansion.
 3. Push a new library directory before the current library path. The new directory can provide additional and replacement libraries that provide the interface of the target and use the implementation techniques of the host.
- Synchronise some vital features, such as identifying the running dialect using the Prolog flag `dialect`.
 - Provide a C-header to emulate the target foreign interface. Given the similar design, the header consists mostly of typedefs, macros to deal with simple renaming and a few (inline) functions for more complicated cases.

7 Making SWI-Prolog foreign resources available in YAP

YAP emulates a large subset of the SWI-Prolog interface library. This was largely done in order to facilitate porting of SWI-Prolog applications to the YAP system. Currently, YAP emulates the main functionality in the SWI interface, and YAP has been able to run complex SWI applications that heavily use C-code, such as the `jp1` java-prolog interface, and the `sgml` library.

YAP implements around 140 functions in the SWI-interface, altogether they require over 2000 lines of code.⁹ The interface originally was implemented as a layer over the native YAP C-interface, but more recently, we have decided to integrate the SWI-Prolog interface as an alternative to the native interface. This avoids the cost of going through two layers of interfacing. Next, we discuss the main challenges we had to address in our implementation.

The first challenge is sheer size: SWI-Prolog exports over 200 functions. Implementing the whole functionality in a single go would have been a major endeavour. Instead, we chose to implement functions as they are needed by the applications we need to port. The one-step-at-a-time approach was also used to implement complex interface functions. This is risky: we have to be careful to inform users that an interface function is only *partially* implemented.

The second challenge were the differences in internal objects that were exported through the interface. As an example, SWI-Prolog internally supports an integer Prolog object that is always 64 bits long. YAP supports an integer that has word size. This creates a problem in 32-bit machines, as 64-bit integers have to be processed as big numbers. As a second example, SWI-Prolog supports a string object: YAP does not support such objects, instead strings are

⁹ The interface contains significant duplicate functionality because old functions have been replaced by more powerful ones. For example, strings were originally exchanged as 0-terminated C-strings, then using an additional length parameter to accommodate 0-bytes in atoms before reaching the current API that accepts a flag parameter to represent types (`PL_ATOM`, `PL_STRING`) and encoding (`REP_ISO_LATIN_1`, `REP_UTF8`), etc. Ideally, the deprecated functions should be marked as such and be provided as macros mapping to the new API.

processed to lists of character codes. In practice, strings are not very popular in the applications we experimented with.

We did observe major differences in functionality between the two systems. Notice that from the YAP point of view, this is a problem when SWI-Prolog has functionality that does not exist in YAP. One example is the debugging infrastructure, that is much richer in SWI-Prolog. A second typical example are *blobs*. A blob is a symbol (like an atom) that is used to store external data, such as image-pixels or a handle to C-managed data. YAP uses blobs and has some support for different types of blobs. SWI-Prolog goes much further, and has a sizeable infrastructure for blobs that accommodates user defined blobs with extensions over input, output, garbage-collection, etc. In cases such as this, supporting the SWI interface will dictate how blobs will be supported in YAP. The advantage is that YAP will benefit from the decisions made by SWI. The drawback is that the YAP design is bound by these decisions.

The third challenge is in Input/Output. SWI-Prolog basically exports its Input/Output data structures, which are very different from YAP's. A first try at using the standard emulation layer approach was very painful: first because the interface is complex; and second because it involves reimplementing a large number of data-structures that had to be working before anything could be experimented with. On the other hand, we could observe that SWI-Prolog's I/O was largely self-contained and almost exclusively written in C. This suggested an alternative approach, where it was decided to simply port the whole I/O subsystem as a C library. The process worked surprisingly well: the I/O routines are much independent of the rest of the system, and we only required reimplementing some internal interface functions. The interface layer require 800 lines of code, but much of this code is in fact reused from files in SWI-Prolog. We did observe two difficulties:

- some I/O functions build lists of characters using low-level abstract machine functionality; we just abstracted these operations without loss of efficiency.
- the code relies on the value of some atoms being known at compile-time. This is currently not supported in YAP, so the initialisation had to be implemented at run-time in YAP.

The one major problem is that now YAP has two independent I/O routines: the SWI and the original ones. Ultimately, either YAP should support only the SWI ones, or we will need to allow both to coexist gracefully. In either case, it is a hard decision.

The last challenge is simply keeping track of the changes in SWI functionality. SWI-Prolog is a living object: new functions are being added in, and from time to time, preexisting functions do change. This is a good thing, and just a small problem with the external interface, but it is a major problem with the I/O library. As YAP-6 stabilises, we expect to be able to merge the YAP changes to the main SWI distribution, and use `git` to track down changes in the SWI distribution, with no negative impact on SWI.

8 Portable constraint libraries

We have been able to share three major constraint libraries between the two systems using this framework: `clpfd` [15], `clpr` [7], and `chr` [8]. YAP originally implemented a SICStus mechanism for domain variables, so the first step was to also support the hProlog/SWI-Prolog mechanism [5]. The main differences are:

- SICStus requires some preprocessing, as the possible attributes must be specified at compile-time;
- SICStus allows an extra-step, after query execution and before creating the constraint goals, which is not available in the hProlog design.
- SICStus often provides access to all the attributed variables. This is useful for simplifying the global constraint-store. It is also not clear whether it should (or not) include attributed variables in global variables.

Arguably, the hProlog interface can be seen as more “lower-level” than the SICStus approach. From YAP-6.0.4, YAP implements the SICStus interface as mostly an extension of the SWI interface (with some extra built-ins). Following SWI-Prolog, YAP now simply searches the global stack for attributed variables for realising `call_residue_vars/2`, which is used by the toplevel to report residual constraints.

Given a common infrastructure, the goal was to reduce to the least the amount of effort in porting the constraint libraries between the two different systems. In the case of `chr` this was simplified because `chr` already supported two systems: SICStus and SWI. Difficulties had to do with the term expansion mechanism, which is different in the two systems, with SWI-Prolog having a more liberal syntax, and with supporting SWI’s *message-writing* mechanism.¹⁰ Last, `chr` was originally implemented in hProlog and expects an hProlog compatibility library to provide list functionality. This forces YAP to be both compatible with SWI and hProlog.

Markus Triska’s `clpfd` is a SWI-native application. It was interesting that although the two applications were written independently, the challenges were very much similar: the term expansion mechanism, using the message-writing system, and attribute predicates.

9 A case-study: the Alpino dependency-tree parser suite

The Alpino dependency-tree parser suite [16] is a large and complicated program developed in SICStus Prolog over a long period of time. Table 2 gives some metrics of the application. The initiative to port Alpino came from the SWI-Prolog side based on a desire to use Alpino components as a library in a larger SWI-Prolog based application. On first contact, the Alpino team was interested, but had two major worries: “does SWI-Prolog support our current

¹⁰ Based on Quintus Prolog. See `print_message/2`.

application without major rewrites”, and “can we achieve one source that compiles and runs on both”. The first was accompanied with a list of requirements. Most of these could be answered positively without hesitation. SWI-Prolog however lacks `call_residue/2` and a Tcl/Tk interface. SWI-Prolog has a partial implementation of `call_residue_vars/3`.¹¹ Later `copy_term/3` proved the correct and portable solution for the application’s purposes. Tcl/Tk was no hard requirement and we hoped that the Ciao implementation might be able to solve this issue. A short summary of the SWI/YAP portability framework convinced the Alpino team that future maintenance based on a common source could be dealt with.

Prolog source-files	304
Prolog source-lines	473,593
Prolog predicates	± 5,500
Prolog clauses	± 290,000
C source-files	14
C++ source-files	27
C/C++-defined predicates	46

Table 2. Metrics on the Alpino Parser

Below we summarise the non-trivial issues encountered and their resolution.

- The SICStus block directive declares predicates to suspend until an instantiation pattern is reached. SWI-Prolog has no such concept. Term-expansion was used to rename the clauses and generate a wrapper that implements the coroutining using `when/2`.¹²
- Operator declarations are mapped to declarations in the user module, SWI-Prolog’s deprecated support for system-wide operators. The code below illustrates dialect handling here:

```
system:goal_expansion(op(Pri,Ass,Name),
                     op(Pri,Ass,user:Name)) :-
    \+ qualified(Name),
    prolog_load_context(dialect, sicstus).

qualified(Var) :- var(Var), !, fail.
qualified(_:_).
```

¹¹ The implementation may report variables that are inaccessible due to backtracking if the application uses non-backtrackable assignment as defined by `nb_setarg/3` and `nv_setval/2`.

¹² Eventually, it was decided that using `when/2` directly was more elegant and natively supported by both target Prolog systems.

- Alpino depends on predicates from `library(lists)` that we do not consider for including into SWI-Prolog. Therefore, we add `library(dialect/sicstus/lists)` with the following content

```
:- module(sicstus_lists,
    [ substitute/4,      % +Elem, +List, +NewElem, -List
      nth/3
    ]).
:- reexport('../..'/lists').
```

<implementation>

Note that in addition, we must map explicitly qualified calls (e.g., `lists:nth(N,L,E)`) to `sicstus_lists:nth(N,L,E)` if the current dialect is `sicstus`. The mapping rule is in `sicstus.pl`, while clauses for the mapping are provided by the renamed modules.

- database references (**assert/2**, **clause/3**, **recorda/3**, **erase/1**) are safe in SICStus and goals fail if the reference does not exist. SWI-Prolog references used to be unsafe: references were heuristically tested for validity and an `existence_error` was raised if the reference was known to be invalid. In case the heuristics incorrectly claims that a reference is valid, the system could crash. Programming around this in Alpino was considered more effort than providing a compatible API in SWI-Prolog, so we decided for the latter.¹³
- We added support for the mode **recorded(-,+,-)** to the SWI-Prolog runtime. We also resolved that `<m>:clause(H,B)` does not qualify *H* if the predicate is in module *<m>*.
- SICStus (and Ciao) provide Prolog streams that can both the read and written to. SWI-Prolog's streams are either read or write. This makes it hard to provide a compatible emulation of the sockets library. We decided to support stream-pairs in the SWI-Prolog runtime system. All I/O predicates are aware of these pairs and will pick the appropriate member (**close/1** addresses both streams). After this addition, emulating the required features of the socket library was simple.
- SICStus `assert` and friends can deal with attributed variables, as illustrated below.

```
?- dif(X, 3), assert(not_3(X)).
```

SWI-Prolog has no such support and adding this is a non-trivial exercise. As a work-around, we use goal-expansion to map calls to the `assert`-predicates onto `clp_assert`. This predicate uses **copy_term(+Attributed, -Plain, -Constraints)** to extract the constraints from the term and inserts all constraints at the start of the body, creating the clause below.

```
not_3(X) :- dif(X, 3).
```

We consider the approach so specific that we decided to make the emulation part of the Alpino source-tree rather than the SWI-Prolog system.

- We provide an implementation for the libraries `arrays.pl`, `system.pl` and `timeout.pl` using SWI-Prolog primitives.
- At some places, we decided that both SICStus and SWI-Prolog provided already compatible alternatives for legacy SICStus code and adjusted the Alpino sources accordingly.

¹³ The necessary infrastructure was developed several years ago.

- We emulate the declaration of foreign predicates using the SICStus primitives `foreign_resource/2`, `foreign/3` and load `foreign_resource/1`. The wrapper-generation is an extension of the older generator for Quintus (`qpforeign.pl`). In addition we wrote a script emulating the features of `spfr` that we need. This SICStus program extracts the foreign declaration from a Prolog file, generates a wrapper and calls the C-compiler to create a loadable foreign module. The SWI-Prolog replacement `swipl-lfr.pl` takes the same steps, using the C-compiler and linker front-end `swipl-ld` for the platform-specific linking.

In addition, we added `sicstus.h` to the SWI-Prolog include directory that provides the necessary mapping from `SP_*` API functions to `PL_*` API functions. The total amount of code involved is 664 lines of Prolog code and 244 lines of C-header (which satisfies our requirements, but is otherwise incomplete). No changes were required to the Alpino C-files, neither to the Prolog code. For the Alpino `zlib`-interface, creating a compressed serialisation of a Prolog term based on SICStus `fastrw.pl` library and `zlib`, we decided on an alternative route for SWI that was easier to realise than providing `fastrw` for SWI-Prolog. The Alpino code selects the implementation using the `if/1` conditional compilation.

- Alpino uses the SICStus `tcl/tk` interface. License issues make it impossible to use the SICStus library here, while reimplementing from scratch is non-trivial. Initially, we ported library(`tcltk`) from Ciao Prolog using the same emulation-approach. Because Ciao uses a much finer grained module infrastructure, emulating enough of Ciao to run the `tcltk` library requires 17 files containing 971 lines of Prolog. In addition, SWI-Prolog’s `write_term/3` had to be modified to (by default) omit an extra space after a comma that separates two arguments (e.g., `term(a,b)` instead of `term(a, b)`).¹⁴

Unfortunately, Ciao’s `tcltk` library could not sufficiently emulate the SICStus library for running Alpino. Eventually, the Ciao code was used to realise a new and portable `tcl/tk` interface that could support Alpino. This interface is part of the Alpino source-tree.

The above changes required about 20 person-days joined effort from the SWI-Prolog team and the Alpino team and resulted in a fully operational application running on the two target platforms. As mentioned above, SWI-Prolog was enhanced in several places. Also the Alpino code has been improved. It now relies less on SICStus legacy code; the application now supports UTF-8 on both Prolog platforms; the modularity was enhanced and the performance has been improved, also on SICStus.

The initial Alpino source contained 19 places of conditional compilation based on the `if/1`-directive. Since then, more conditional code was added to enhance performance on SWI-Prolog and use additional features of SWI-Prolog, such as (partial) support for multi-threading and its interface to GNU `readline`. The current code contains 59 places of conditional compilation. This small amount of conditional code has no significant impact on the maintainability of the Alpino code-base.

¹⁴ This issue also affected Alpino, which contains C-code that relied on the exact term-layout. The 13211-1 standard describes spaces in the output of `write_term` to separate tokens where needed. Other spaces are not *explicitly* forbidden.

10 Conclusions

Portability of Prolog source-code is important. Portability prevents vendor lock-in, provides backup if an implementation is discontinued or is no longer suitable for sustaining an application because it lacks features that are important for future development. Portability is also needed if we want to combine packages developed on different Prolog implementations. For a long time, the Prolog community consisted of separated sub-communities associated to an implementation. The ISO standard has resolved many low-level compatibility issues. Logtalk and the Leuven/Vienna constraint libraries have created bridges, causing participating Prolog systems to resolve various incompatibilities. Currently, portability among four systems with common inspiration (YAP, SICStus, Ciao and SWI-Prolog) is comparable to other multi-vendor programming environments such as C on Unix in the 90s.

We have presented a framework that provides conditional compilation, where the reflexive capabilities of Prolog replace the analysis provided by GNU autoconf. We also presented a framework that allows sources for multiple dialects to co-exist on the same Prolog host. This framework can be extended on ‘as-needed’ basis.

We identified a number of issues that hinder the development of portable Prolog resources. Some of these involve major decisions and require major effort. Examples are non-portable types such as string-objects, advanced numeric types (unbounded, rationals, complex), and non-portable features (e.g., Unicode support, threads, tabling). There are a number of issues that are less involved and can greatly facilitate portability if agreement is reached and implemented. Examples are ‘environment predicates’, such as **absolute_file_name/3**, **prolog_load_context/2**, a mechanism to deliver (translated) messages to the user, further standardisation of Prolog flags, including a mechanism to define new flags and a clear vision on handling extensions to the option-list processed by predicates such as **write_term/3**.

We strongly advice anyone interested in porting a Prolog resource to get into contact with the vendors of the targeted Prolog systems. Many incompatibilities are much easier resolved by the vendor(s) and as a result both systems improve and get more compatible.

References

1. AI International ltd., Berkhamsted, UK. *Quintus Prolog, User Guide and Reference Manual*, 1997.
2. Roberto Bagnara. Is the iso prolog standard taken seriously? *ALP newsletter*, pages 10–12, February 1999.
3. Roberto Bagnara and Manuel Carro. Foreign language interfaces for Prolog: A terse survey. *ALP newsletter*, May 2002.
4. M. Carlsson, J. Widén, J. Andersson, S. Anderson, K. Boortz, H. Nilson, and T. Sjöland. *SICStus Prolog (v3) Users’s Manual*. SICS, PO Box 1263, S-164 28 Kista, Sweden, 1995.

5. Bart Demoen. Dynamic attributes, their hProlog implementation, and a first evaluation. Report CW 350, Department of Computer Science, K.U.Leuven, Leuven, Belgium, oct 2002. URL = <http://www.cs.kuleuven.ac.be/publicaties/rapporten/cw/CW350.abs.html>.
6. Manuel V. Hermenegildo, Francisco Bueno, Manuel Carro, Pedro López, José F. Morales, and Germán Puebla. An overview of the ciao multiparadigm language and program development environment and its design philosophy. In Pierpaolo Degano, Rocco De Nicola, and José Meseguer, editors, *Concurrency, Graphs and Models, Essays Dedicated to Ugo Montanari on the Occasion of His 65th Birthday*, volume 5065 of *Lecture Notes in Computer Science*, pages 209–237. Springer, 2008.
7. Christian Holzbaur. Metastructures versus attributed variables in the context of extensible unification. In Maurice Bruynooghe and Martin Wirsing, editors, *PLILP*, volume 631 of *Lecture Notes in Computer Science*, pages 260–268. Springer, 1992.
8. Leslie De Koninck, Tom Schrijvers, and Bart Demoen. A flexible search framework for chr. In Tom Schrijvers and Thom W. Frühwirth, editors, *Constraint Handling Rules*, volume 5388 of *Lecture Notes in Computer Science*, pages 16–47. Springer, 2008.
9. SUN Microsystems. The java compatibility test tools, 2001.
10. Paulo Moura. *Logtalk - Design of an Object-Oriented Logic Programming Language*. PhD thesis, Department of Informatics, University of Beira Interior, Portugal, September 2003.
11. Thomas Linder Puls. New features in Visual Prolog 7.2. In *Proceedings of the VIP-ALC 08: Visual Prolog Applications And Language Conference*, pages 6–9. Prolog Development Center, July 2008.
12. J. Racine. Review: The cygwin tools: A gnu toolkit for windows. *Journal of Applied Econometrics*, 15(3):331–341, 2000.
13. Vítor Santos Costa, Luis Damas, Rogério Reis, and Rúben Azevedo. *YAP User's Manual*, 2002. <http://www.ncc.up.pt/~vsc/Yap>.
14. Peter Szabó and Péter Szeredi. Improving the iso prolog standard by analyzing compliance test results. In Sandro Etalle and Mirosław Truszczyński, editors, *ICLP*, volume 4079 of *Lecture Notes in Computer Science*, pages 257–269. Springer, 2006.
15. Markus Triska. Generalising constraint solving over finite domains. In Maria Garcia de la Banda and Enrico Pontelli, editors, *ICLP*, volume 5366 of *Lecture Notes in Computer Science*, pages 820–821. Springer, 2008.
16. Gertjan van Noord. **At Last Parsing Is Now Operational**. In *TALN 2006 Verbum Ex Machina, Actes De La 13e Conference sur Le Traitement Automatique des Langues naturelles*, pages 20–42, Leuven, 2006.
17. Gary V. Vaughan, Ben Elliston, Tom Tromey, and Ian L. Taylor. *GNU Autoconf, Automake, and Libtool*. Pearson Education, October 2000.
18. J. Wielemaker. *SWI-Prolog: Reference Manual*. University of Amsterdam, VU University Amsterdam, Kruislaan 419, 1098 VA Amsterdam/De Boelelaan 1081a, 1081 HV Amsterdam, 1997-2010. <http://www.swi-prolog.org/pldoc/index.html>.